

SPEEDGLEAM® RIDER

Compact, battery burnisher for large and small areas



Best value in its class

The SpeedGleam® Rider

It's Simple

- Reduce operator training with intuitive control panel and supervisor lock-out function.
- Service your machine easily with automated head-lift and easy battery access.
- Charge anywhere with integrated, on-board charger and cord management.

It's Flexible

- Choose a 24 in / 610 mm or 27 in / 686 mm cleaning path.
- Burnish with 3 speeds and 3 down pressure settings.
- Cover large areas quickly while still fitting in tight areas like doorways and elevators with compact rider design.

It's Safe

- Increase Indoor Environmental Quality (IEQ) with optional active, 4-stage HEPA filtration dust control system.
- Make operator comfort a priority with low 69 dBA sound level.



Four no-nonsense features

1. High efficiency pad motor for maximum productivity.



2. Automated burnisher lift for safe and easy access and pad exchange.





Innovative Nobles Technologies

QA Controls™ System

Lock-in consistent, repeatable cleaning results with exclusive QA

Controls system. The "supervisor lock-out" simplifies operator experience and helps ensure a uniform speed and down pressure each time.



HydroLink® Battery Watering System*

(optional feature)

HydroLink's easy-to-use design requires little to no training and protects operators from the possibility of acid contact and other risks associated with open battery main-



tenance. Save money by decreasing maintenance needs and increasing battery life and run time.

*HydroLink® is a registered trademark of Trojan Battery Company


3. Highly intuitive controls make adjusting between 3 speeds and 3 down pressures quick and easy.



4. Optional, Active Dust
Control with 4-stage
HEPA filtration that
improves indoor
environmental quality.







Optimize cleaning performance with Tennant *True*®

Maximize the uptime and life of your Tennant equipment with Tennant *True* Parts and Service. Benefit from the unmatched knowledge of our team of over 400 factory-trained and certified Tennant Service technicians. Tennant *True* Parts are designed to fit your Tennant machine and deliver optimal cleaning performance. This helps reduce machine downtime and service calls. Depend on Tennant *True* to help you maximize the effectiveness of cleaning operations.

Tennant *True* Parts program includes Tennant, Nobles, Green Machines and Orbio cleaning equipment.

Engineered by Tennant Company, the SpeedGleam Rider is the smart, reliable choice for your no-nonsense cleaning needs.

Nobles

701 North Lilac Drive Minneapolis, MN 55422

USA/Canada: +1.800.553.8033 Quebec: +1.800.361.9050

www.nobles.com nobles@tennantco.com

SpeedGleam® Rider Specifications		
Cleaning path (disk)	24 in / 610 mm	27 in / 688 mm
Pad motor	4 hp direct drive	
Pad rotation	1,500-1,600 rpm	
Down pressure (selectable)	70, 78, 85 amps	
Burnishing speeds Forward (as shipped) Low Medium High Console programmable (per minute) Low Range High Range	150 fpm / 45.7 mpm 175 fpm / 53.3 mpm 200 fpm / 61.0 mpm 125, 150, 175 fpm / 38.1, 45.7, 53.3 mpm 250, 275, 300 fpm / 76.2, 83.8, 91.4 mpm	
Battery type	Flooded lead acid 6 x 6 Volts 435 Amp Hour at 20 hour rate	
Battery run time	3 hour minimum run time at low down pressure setting	
On-board charger	25 Amp rating with charge time ≤ 18 hours	
Dust filtration	4-stage HEPA filtration (optional)	
Warranty	See your local representative for warranty information	

Specifications subject to change without notice.